

**de** ORIGINALBETRIEBSANLEITUNG

86107K  
01/14

**en** OPERATING INSTRUCTION


**fr** MODE D'EMPLOI

**es** MODO DE EMPLEO

**it** MODALITA D'USO

**optima-Blitz**  
**Art.-Nr. 20886**

mit Dämmerungsautomatik  
with twilight-automatic  
avec système automatique crépusculaire  
con crepuscolare  
con sistema automatico crepuscular



**horizont group gmbh**  
Division klemmfix



Postfach 1340  
34483 Korbach

Homberger Weg 4-6  
34497 Korbach  
GERMANY

Telefon: +49 (0) 5631 565-200  
Telefax: +49 (0) 5631 565-248

klemmfix@horizont.com  
**www.horizont.com**

**horizont**  
  
**klemmfix**




Tag Nacht  
day night  
jour nuit  
giorno notte  
día noche



AUS  
OFF

Nacht  
(Dämmerungsautomatik)  
night  
(twilight-automatic)  
nuit (système  
automatique crépusculaire)  
notte  
(crepuscolare)  
noche  
(sistema automatico crepuscular)

Batteriewechsel  
Change of the battery  
Changement de pile  
Sostituzione batterie  
Cambio de batería



Befestigung / mounting  
fixation / fissaggio della lampada  
fijación de la lámpara



Blitzenergie Flash Energy Energie Potenza del lampeggio Potência de Flash	1 Joule
Blitzfolge Flash Frequency Fréquence flash Sequenza lampeggio Flash frecuencia	~ 60 / min ( bei 6V )
Betriebsstunden Operation hours Heure de fonctionnement Ore di funzionamento Autonomia 2 x 7 Ah 2 x 9 Ah	~ 55 h ~ 72 h
Stromaufnahme Power Cosumption Consomation Assorbimento Consumo	~ 0,25 A
Maße Dimensions Dimensions Dimensioni Dimensiones	195 x 100 x 330 mm
Gewicht (incl. Batterie) Weight (with batteries) Poids (avec batteries) Peso (con batterie) Peso (con baterias)	~ 1,8 kg
Versorgung Batteries Alimentation Batterie Baterias	2 x IEC4R25

**Technische Änderungen vorbehalten !**

**Subject to alterations !**

**Sous réserve de changements techniques !**

**Con riserva di eventuali modifiche !**

**Reservado el derecho de cambios técnicos !**